



VMOTO  
FLEET



VS2

ELECTRIC MOBILITY

**Design for the modern urban riding**

Compact and lightweight, it glides smoothly through urban traffic and is the perfect partner for your workdays.

**45** km/h  
L1e-B speed

**2** kW  
Engine power

**80** Km  
Range

**lightly**  
take work



**16 inch wheel:** high trafficability



VS2  
**handly**  
and compact

get ready for

**a long journey**



Swappable polymer lithium battery

**60V45** Ah  
Battery capacity

**4** years+  
Battery life

**1500+**  
Cycle

**3.5** h  
Charging time

**clear view**

Intelligent light sensitive display



It only takes 5 minutes to change a wheel on the VS1, thanks to the patented single-sided swing arm: this minimises vehicle downtime and maximises the possibility and constancy of use.



○  
White

## TECHNICAL INFORMATION

<b>Homologation</b>	L1e-B (comparable to a 50cc)		
<b>Motor</b>	VMOTO	<b>Weight</b>	101 kg
<b>Rated power</b>	2000 W	<b>L*W*H</b>	1940 mm*730 mm*1160 mm
<b>Maximum power</b>	2400 W	<b>Wheelbase</b>	1327 mm
<b>Battery model</b>	Polymer lithium battery	<b>Ground Clearance</b>	145 mm
<b>Battery capacity</b>	60 V/45 Ah	<b>Seat Height (R point)</b>	855 mm
<b>Charging time</b>	3.5 h (Fast charger)   6 h (Normal charger)	<b>Rims</b>	Fr. 1.85-16   Rr. 2.5-14
<b>Charging power</b>	900 W (Fast charger)   480 W (Normal charger)	<b>Tyres</b>	Fr. 90/80-16   Rr. 90/90-14
<b>Autonomy</b>	80 km*	<b>Suspension</b>	Hydraulic damping system
<b>Max speed</b>	45 km/h	<b>Brakes</b>	CBS
<b>Climbing angle</b>	14°	<b>Colors</b>	White, Black, Yellow, Orange

\*WMTC Stage 3

**Warning:** The photos and technical information in this catalogue may refer to prototypes subject to modifications during production and are purely for illustration and reference purposes, and are therefore not binding on Vmoto International. Vmoto cannot be held responsible for any print and/or translation errors. This catalogue is transnational and therefore some products may not be available and/or their features may vary in accordance with local laws. Not all colours and versions are available in each country. Vmoto reserves the right to make changes and improvements to any product without obligation of prior notice or to make such changes to products already sold. Further characteristics of the products are contained in the pertinent owner's manuals. The products represented are not definitive versions and are therefore subject to significant changes at Vmoto's discretion without prior notice. The photographs published in this catalogue show only professional riders under controlled street conditions. Do not attempt to imitate such riding behaviour as it could be dangerous for you or other people on the road. This catalogue, including but not limited to the trademarks, logos, texts, images, graphics and table of contents herein, constitute Vmoto intellectual property, or in any event Vmoto has the right to reproduce it; any reproduction, modification or other whole or partial use of the catalogue or its contents, including publication on the Internet without the prior written consent of Vmoto, is prohibited. Actual battery consumption may vary based on many factors, including but not limited to riding style, maintenance performed, weather conditions, surface characteristics, tyre pressure, load, weight of the rider and the passenger, accessories. The weights in running order are considered with all operating fluids, standard equipment and battery. For more information visit [www.Vmotosoco.com](http://www.Vmotosoco.com).

April 2023

### Vmoto Limited

Level 48, 152-158 St Georges Terrace  
Perth Western Australia 6000, Australia

### Vmoto Soco International

15, Zhongxing East Road - Lishui Economic Development Zone  
Lishui District, Nanjing 211200 - Jiangsu Province, China

### Vmoto Europe

Boekweitstraat 95-97, 2153 GK  
Nieuw Vennep, The Netherlands



Official  
Electric Scooter  
Supplier

### Vmoto Soco Italy

Viale Fratelli Casiraghi, 427  
20099 S. San Giovanni  
Milan District, Italy



FM End Model: World Cup  
SCOOTER SUPPLIER

